



PRODUCT SPECIFICATIONS

Say goodbye to inferior turf and all of the problems that come with it. SportsGrass by ForeverLawn is the solution for your sports program, offering unmatched performance, a natural underfoot feel, and a playing surface second to none.

COMPONENTS	SPORTSGRASS RUSH	SPORTSGRASS EDGE XP	SPORTSGRASS ARENA	SPORTSGRASS REVOLUTION
YARN TYPE	Polyethylene monofilament	Primary: Polyethylene XP slit film Secondary: Heat set textured nylon monofilament	Primary: Polyethylene XP slit film Secondary: Heat set textured nylon monofilament	Primary: Polyethylene monofilament Secondary: Heat set textured nylon monofilament
YARN COLOR	Field/olive green	Primary: Field green Secondary: Turf green/tan blend	Primary: Field green Secondary: Turf green	Primary: Field/lime green Secondary: Turf green/tan blend
YARN COUNT	10,800/6	Primary: 8,040/1 Secondary: 5,040/12	Primary: 5,040/1 Secondary: 4200/8	Primary: 10,800/6 Secondary: 5,040/12
TUFTING CONSTRUCTION	Single yarn	Dual yarn, same row	Dual yarn, alternating rows	Dual yarn, same row
BLADE HEIGHT	2-1/8"	1-7/8"	1"	2-1/8"
TUFTING GAUGE	3/8"	3/8"	3/16"	3/8"
FACE WEIGHT	41 ounces	48 ounces	58 ounces	60 ounces
TOTAL PRODUCT WEIGHT	71 ounces	98 ounces	108 ounces	110 ounces
BACKING	Primary: 13 pic Secondary: Unitary	Primary: 18 pic reinforced tricomponent Secondary: 50 oz. BioCel™ Polyurethane with 6 oz. nonwoven geotex laminate	Primary: 18 pic reinforced tricomponent Secondary: 50 oz. BioCel™ Polyurethane with 6 oz. nonwoven geotex laminate	Primary: 18 pic reinforced tricomponent Secondary: 50 oz. BioCel™ Polyurethane with 6 oz. nonwoven geotex laminate
SEAMING	Turf adhesive	Micromechanical bonding	Micromechanical bonding	Micromechanical bonding
INFILL	2.5 pounds of rubber psf	1.25 to 1.5 pounds of rubber psf	Optional	1.7 to 2 pounds of rubber psf



*Product heights shown may have a variance of 1/8" and product weights shown may have a variance of 2%.

M0210 Rev. 02/18



foreverlawn.com
866.992.7876

Playing at a higher level.

sportsgrassturf.com